



- To assemble and interpret the best available, digitally mapped data on the biological diversity of southern Ontario,
- To identify high-value core natural areas and highest-probability linkages, and adjacent areas of existing natural vegetation, and
- To generate replicable, rule-based mapping of a landscape-scale natural heritage system for southern Ontario.

The project restricted itself to the use of existing mapped datasets that covered the whole study area, specifically ecological regions 7E and 6E south and east of the Canadian Shield, and portions of 5E and 4E on the Shield within 100 km of 6E. The area on the Shield was included to highlight the differences as well as the connections between the natural landscapes on and off the Shield. The project title includes a date (2002) to indicate that significant data limitations still exist, and that the model is scale- and data-dependent, replicable and perfectible as new data and methods develop.

- 1) Where possible, more than 30% of the non-urban area of each ecological district in the study area should be identified as part of the natural heritage system.
- 2) Core area selection should prefer intact natural areas with larger forest-interior habitats, natural habitats adjacent to Great Lakes coasts, and areas with high overall percentages of natural cover.
- 3) Core areas should include viable occurrences of globally rare species and vegetation community types, and concentrations of same.
- 4) Minimum core size should exceed 200 hectares south of the Shield and 500 hectares on the Shield, with smaller high-quality areas in ecoregion 7E and along the Great Lakes coast.
- 5) Minimum corridor widths should be at least 200 metres plus any adjacent areas of natural cover. As a result, almost all of the mapped system is currently in natural cover with the exception of some portions of 200 metre-wide corridors; the latter areas may represent opportunities for future naturalisation. On the ground, it may be important for ecological reasons to establish functioning corridors more than 200 metres wide; in other situations it may not be ecologically appropriate or economically feasible.

1) All data layers were projected, edge matched, and converted from vector to raster (grid) coverages of 25 metre pixels. Positive conservation values (see "Scoring of Natural Areas" map panel) and negative resistance values (see "Resistance Values" map panel) were calculated for each pixel.

2) Core areas were identified as groups of pixels exceeding the sizes listed above (Targets and Criteria) as well as exceeding specified threshold cumulative values (12 points for 7E; 9 for 6E; 12 for 5E and 4E) based on accumulating assigned pixel scores

for different conservation values. The values were: natural cover from LANDSAT image "Ontario Land Cover" (assigned a value of +5 +points); riparian areas and 30 metre buffers (+5 points); life science Areas of Natural and Scientific Interest (ANSIs) (from +5 to +15 based on size and significance); wetlands (from +3 to +15 based on size and significance); any coastal ANSIs, provincial wetlands, or woodlands greater than 200 hectares; within 1 kilometre of a (+15); protected areas (e.g., non-recreational provincial, protection zones in Algonquin Park, nature reserves and national parks) (+15); other Ontario Living Legacy designations (+1 to +3); "older" forests (from +1 to +15 based on age and significance) (from +50 to 500 hectares) (+3); forest interior greater than 100 metres from woodland edge (+2); and forest-cover concentrations (0 to +4) [all three final values based on Ontario Hydro forest (south of Shield) and LANDSAT mapping (north of Shield)]; and Niagara Escarpment natural areas and Carolinian Canada sites (+15). To these were added up to +10 points on the basis of a generated surface layer of concentrations of rare species and vegetation types. Adjacent areas of natural cover, at values less than the threshold values, were added to build these initial areas into their larger contiguous "core" areas. In 7E, cores smaller than 100 hectares were not included in the analysis. In 8E, cores smaller than 100 hectares were included in the analysis, but only if they were within 40 kilometres where cover is 15-30%, and 4 hectares where cover is less than 15%). Finally, the natural core areas on the Oak Ridges Moraine were added as cores areas because of their recent provincial designation as such.

3) "Resistance" values were then scored for each pixel in order to develop a "cost" or "obstacle" surface that would influence the alignment of "least cost" linkages or corridors between core areas. These least-cost alignments follow existing areas of natural cover, especially riparian areas, preferentially because of positive values. Where no such alignments along positive values could occur, the cores were connected along the least cost (i.e., lowest resistance) path, which was assigned a value of 5. A minimum width of 200 metres was assigned to that highest-probability alignment; these areas are the only significant part of the mapped natural heritage system not currently in natural cover. The "Resistance" values were: urban areas (-10); extraction sites (-5); highways (-1 to -5, based on scale); stream or river corridors (+5); non-agricultural soils (+2); abandoned railways (+2); utility corridors (+2); agreement with the provincial conservation strategy (+2); and riparian areas (+5). The "least cost" or "resistance" fabric of pixel values was manipulated to exaggerate resistance costs by raising the cost values by a power of 5.

4) The developing product was reviewed visually to adapt the methods and to assess the final alignments of potential linkages. Variations in the methods were applied to Ecoregion 7E, 6E and the Shield, and these differences are also noted above and on the map legends. North of 7E, so many cores were generated that it was decided to coalesce them into more contiguous complexes to allow calculation of highest-probability linkages in a reasonable amount of processing time. This was done by buffering cores out by 1 kilometre and then buffering in again by the same amount. However, only the original cores are shown on the final map panel. In the same area, a change in methodology was also required in the linkage analysis. To discriminate among the

overabundance of potential linkages, a method was developed to select only the linkages to the nearest 15 core areas. Cores and linkages developed for ecoregion 7E (Big Picture Project 2000, the precursor to this project), are shown in the top map panel without change.

The selected maps, as described below, illustrate some of the limitations to, stresses on, and achievements of conservation on the landscapes of southern Ontario.

Summarises the analysis outlined above. This natural heritage system identifies a coarse network of the most highly ranked natural areas of exceptional size as a fragmented landscape, and the most probable, minimum-width alignments that are now serving (and could increasingly serve) as natural links between core areas. Identification of natural heritage systems at finer scales, such as municipalities and watersheds, would clearly complement the identification of natural heritage systems at this broad scale.

Summarises the pixel fabric resulting from the methods outlined above.



Illustrates the accomplishments to-date in formal, regulated conservation of lands and waters. Achievement is significant on the Crown lands of the Canadian Shield, on the Niagara Escarpment and on the Oak Ridges Moraine. Land conservation south and east of the Shield is tied closely to the stewardship efforts of private landowners and non-government organisations, and the conservation policies of municipal land-use plans.

Illustrates the jurisdictional and global challenges facing particular parts of southern Ontario with regard to biodiversity conservation.

Mirrors the Conversion from Natural Cover map, illustrating the convergence of data sets from different sources, and providing a tool to assess the special conservation needs of forests in the natural heritage system.

Illustrates the heavy human footprint that defines southern Ontario south and east of the Canadian Shield. This has been the fundamental motivation for conservation biologists to assign comparative values to the remaining natural heritage features of the region, and to develop innovative models to portray present and potential, conserved and restored, natural heritage systems.

Portrays southern Ontario as a fabric of major challenges for naturally occurring species and vegetation communities to disperse, connect or even to sustain themselves adequately in the fragmented, road-covered and increasingly urban setting.



CONTRIBUTORS: This project represents an evolution of the methods of the earlier *Bird Census* for southwestern Ontario, and a continuation of the same, construction-based process guiding the project, involving among many members (alphabetical order): Jane Bowles, Eric Boyce, David Berke, Mike Cadman, Peter Carson, Bill Carr, Mary Garthner, Jim Fought, Don Goodin, Jason Haines, Steve Housell, Jerro Jallo, Jay McGuffee, Mike McMurtry, John Rife, Paul Smith, Steve Smith, Tracy Serrill, Bill Singschorn, Sylvia Szekli, and Anthony Zarnke, representing the Ontario Ministry of Natural Resources, Natural Heritage Information Centre, Nature Conservancy of Canada, Ontario Parks, Parks Canada, Canadian Wildlife Service, Federation of Ontario Naturalists, Ducks Unlimited, Carolina Canada, Ontario Hydro, and others. The *Bird Census 2002* was funded by the Nature Conservancy of Canada and the Ontario Ministry of Natural Resources.

FURTHER INFORMATION: See the Natural Heritage Information Centre website: <http://www.nhicc.gov.on.ca/MNR/nhicc.cfm>, and the Nature Conservancy of Canada website: <http://www.natureconservancy.ca>

POSTER CREDIT: Text: John Riley (NCC) and Mike McManus (NHIC), Cartography and Layout Design: Peter Serrill (NHIC), Tracy Serrill (NHIC), and Jason Hansen (Provincial Geomatics Service Centre)

Copyright: April 10, 2004

